

From: [Redacted]
Sent: 6/9/2014 8:52:56 AM
To: 'ALJ274SelfReports@cpuc.ca.gov' ('ALJ274SelfReports@cpuc.ca.gov');
'tyr@cpuc.ca.gov' (tyr@cpuc.ca.gov)
Cc: [Redacted]
Gibson, Bill (Codes) (/o=PG&E/ou=Corporate/cn=Recipients/cn=WL3); [Redacted]
[Redacted] Ramaiya, Shilpa
R (/o=PG&E/ou=Corporate/cn=Recipients/cn=SRRd);
'elizaveta.malashenko@cpuc.ca.gov' (elizaveta.malashenko@cpuc.ca.gov); 'Lee,
Dennis M.' (dennis.lee@cpuc.ca.gov); 'Shori, Sunil (sunil.shori@cpuc.ca.gov)'
(sunil.shori@cpuc.ca.gov); 'Bruno, Kenneth (kenneth.bruno@cpuc.ca.gov)'
(kenneth.bruno@cpuc.ca.gov)
Bcc:
Subject: PG&E ALJ-274 Self-Report - Leak Survey of Inside Meters

Ms. Denise Tyrrell,

Pursuant to CPUC Resolution ALJ-274, attached is a self-identified non-compliance notification for not following the PG&E leak survey procedure in the City and County of San Francisco.

Sincerely,

[Redacted]

Regulatory Compliance

Gas Operations | Pacific Gas and Electric

[Redacted]