From: Malashenko, Elizaveta I. Sent: 9/5/2014 2:03:38 PM

To: Doll, Laura (/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=LRDD);

Prosper, Terrie D. (terrie.prosper@cpuc.ca.gov)

Cc:

Subject: RE: CPUC Reportable Incident - Carmel by the Sea

Laura,

Is there any loss of service?

Liza

## Elizaveta Malashenko

Deputy Director, Utility Safety and Reliability

Safety and Enforcement Division

California Public Utilities Commission

Phone: 415-703-2274

E-mail: elizaveta.malashenko@cpuc.ca.gov

From: Doll, Laura [mailto:LRDD@pge.com]
Sent: Friday, September 05, 2014 1:43 PM
To: Malashenko, Elizaveta I.; Prosper, Terrie D.

Subject: FW: CPUC Reportable Incident - Carmel by the Sea

FYI – 3<sup>rd</sup> party contractor dig-in in Carmel.

From Redacted
Sent: Friday, September 05, 2014 1:39 PM
To: UO EP Gas Incident Notify
<b>Cc</b> Redacted
Subject: RE: CPUC Reportable Incident - Carmel by the Sea
Caspeta NE. of Se Reportable monath. Carmors, the Sea
Correction – There were NO injuries.
Correction - There were NO injunes.
Redacted
From Redacted
Sent: Friday, September 05, 2014 1:36 PM
To: UO EP Gas Incident Notify
Cc: Redacted
Subject: CPUC Reportable Incident - Carmel by the Sea
At approx. 1150 hrs on 9/5, PG&E was notified of a third-party dig-in at the south-west corner of 11th
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3"
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and Breakfast (approx 10 ppl were inside hotel).
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and Breakfast (approx 10 ppl were inside hotel).
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and Breakfast (approx 10 ppl were inside hotel).
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and Breakfast (approx 10 ppl were inside hotel).
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and Breakfast (approx 10 ppl were inside hotel).
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and Breakfast (approx 10 ppl were inside hotel).
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and Breakfast (approx 10 ppl were inside hotel).  The stub has a two way feed and PG&E crews have squeezed one. Estimated time for shut-in is approx. 1330 hrs.
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and Breakfast (approx 10 ppl were inside hotel).  The stub has a two way feed and PG&E crews have squeezed one. Estimated time for shut-in is approx. 1330 hrs.  There were injuries, damage is not likely to exceed \$50k, and media is not onsite at the moment. This
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and Breakfast (approx 10 ppl were inside hotel).  The stub has a two way feed and PG&E crews have squeezed one. Estimated time for shut-in is approx. 1330 hrs.
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and Breakfast (approx 10 ppl were inside hotel).  The stub has a two way feed and PG&E crews have squeezed one. Estimated time for shut-in is approx. 1330 hrs.  There were injuries, damage is not likely to exceed \$50k, and media is not onsite at the moment. This
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and Breakfast (approx 10 ppl were inside hotel).  The stub has a two way feed and PG&E crews have squeezed one. Estimated time for shut-in is approx. 1330 hrs.  There were injuries, damage is not likely to exceed \$50k, and media is not onsite at the moment. This
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and Breakfast (approx 10 ppl were inside hotel).  The stub has a two way feed and PG&E crews have squeezed one. Estimated time for shut-in is approx. 1330 hrs.  There were injuries, damage is not likely to exceed \$50k, and media is not onsite at the moment. This
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and Breakfast (approx 10 ppl were inside hotel).  The stub has a two way feed and PG&E crews have squeezed one. Estimated time for shut-in is approx. 1330 hrs.  There were injuries, damage is not likely to exceed \$50k, and media is not onsite at the moment. This incident is being reported on operator judgment.
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and Breakfast (approx 10 ppl were inside hotel).  The stub has a two way feed and PG&E crews have squeezed one. Estimated time for shut-in is approx. 1330 hrs.  There were injuries, damage is not likely to exceed \$50k, and media is not onsite at the moment. This
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and Breakfast (approx 10 ppl were inside hotel).  The stub has a two way feed and PG&E crews have squeezed one. Estimated time for shut-in is approx. 1330 hrs.  There were injuries, damage is not likely to exceed \$50k, and media is not onsite at the moment. This incident is being reported on operator judgment.
and Camino Real in Carmel by the Sea. The third-party, Monterey Peninsula Engineering, was digging a joint trench for new business trying to expose the main, when they struck and pulled off the stub on 3" plastic pipe, creating an unintentional release of gas. Foreman states there is a USA ticket (ticket number is unknown at this time). Both FD and PD are onsite and along with the PG&E crew that arrived onsite at approx. 12:26 hrs, they evacuated 4 buildings, one of which was the Sea View Bed and Breakfast (approx 10 ppl were inside hotel).  The stub has a two way feed and PG&E crews have squeezed one. Estimated time for shut-in is approx. 1330 hrs.  There were injuries, damage is not likely to exceed \$50k, and media is not onsite at the moment. This incident is being reported on operator judgment.

Redacted	

 $PG\&E is committed to protecting our customers' privacy. \\ To learn more, please visit $\frac{http://www.pge.com/about/company/privacy/customer/}{http://www.pge.com/about/company/privacy/customer/}$