

Contractor Safety Program

September 22, 2014



Contractor Safety Benchmarking

- > Identify best practices for the contractor safety pre-qualification process
- > Benchmarkagainst peer utilities to enhance PG&E's overallContractor Safety Program















History of the Contractor Safety Program

<u>2013</u>:

- Piloted the pre-qualification process with 25 contractors
- · Conducted benchmarking
- Pre-qualifications expanded to new and existing "high" and "medium" risk contractors
- Developed a guidance document to help define program elements and roles and responsibilities
- PG&E's Executive Safety Steering Committee approved the Contractor Safety Program elements-October 2013

<u>2014</u>:

- Commence opre-qualification rollout to over 500 contractors
- Drafted formal Contractor Safety Procedure that includes four main elements
 - Pre-Qualification
 - Contract Terms
 - Safety Oversight
 - Performance Appraisals

Pre-Qualification Process

- Acceptance Criteria:
 - Managed by a Third-Party Administrator PICS
 - Safety manual audits, drug/alcohol programs & disciplinary program
- Differentiate pre-qualification criteria by contractor industry classification:
 - Collect and review safety performance data including auditing of safety manuals to ensure compliance to regulatory standards
 - Indicate contractor pre-qualification status by Flag
- Sub-contractor management:
 - Contractors must require sub-contractors to pre-qualify with PICS
 - Sub-contractors must meet the same pre-qualification criteria as Primes
- Governance process:
 - Summaryof business need, contractor improvement plans and the measures that will be taken by the assigned PG&Erepresentatives to demonstrate compliance with the improvement plan shall be submitted to the Senior Directors of the LOBand Safety for approval

PF& Contract Terms

- - Ourrent State Standard Terms (not including legacy contracts)
 - Contractor is obligated to:
 - · Recognize and agree that safety is of paramount importance
 - Perform the work safely and in compliance with PG&E's contractor safety program
 - · Safeguard persons and property from injury
 - Comply with all applicable federal, state, and local laws, rules, and regulations, including all CPUC rules and regulations
 - Train their employees and subcontractors on safety and health rules and standards
 - Inspect all materials, tools, equipment, and facilities for safety
 - Require that workers be fit for duty and comply with the drug and alcohol programs of both PG&Eand, if applicable, the DOT
 - PG&Ehas the right to:
 - · Designate safety precautions in addition to those in use of proposed by the contractor
 - Stop work to ensure compliance with safe work practices and applicable federal, state, and local laws, rules and regulations
 - Require the contractor to provide additional safeguards beyond what the contractor plans to utilize
 - Terminate the contractor for cause in the event of a serious incident or failure to comply with PG&E's safety precautions.
- Additional safety terms are added as specific conditions depending on the nature of the work, including:
 - Review and approval criteria for work plans, which includes safety plans
 - Work specific safety requirements
 - Cooperation and assistance with regulatory investigations and inquiries
- These terms and requirements for the Contractor Safety Program will becomethe standard terms for all existing high and medium risk contracts

- Implementing standardized safety observation tool and database
- LOBestablishes frequency of safety observations based on risks associated with the work
- Higher frequency of safety observations for high-risk work
- This program is in addition to the oversight provided by Project/Contract Management
- Site-Specific Health & Safety Plans required for high-risk work
- Centralized database (PICS) for collecting contractor hours and injury counts specific to PG&E work
- Contractor safety performance metrics reported monthly to executive level

- Implementing standardized post-project evaluation document
- Utilize PG&Especific safety performance data for future contractor comparisons or contract award decisions
- Facilitate open and honest discussions with contractors of what worked well and what needs improvement
- Post-project feedback drives safety improvements and cultural change
- Provides opportunities to capture lessons learned that can be shared with internal and external stakeholders



Appendices



Red/Amber/Green - Acceptance Criteria

3-year averages (except fatalities)	Acceptable	Not Acceptable without Governance Review	Acceptable pending governance process (Amber)
Number os A citations within the previous 3 full years plus current year	No more than 3 serious OSHAcitations with no willful or repeat citations		r More than 3 serious, or 1 or morewillful or repeat OSHA citations
Experience Modification Rate	Equal or less than 1.10	Greater than 1.10	Greater than 1.10
Fatalities within 5-year	ars Zero	Greater than zero	Greater than zero
Total Recordable Incident Rate	Equal or less than Industry Average	Greater than Industry Average	Greater than Industry Average
Days Away Restricted/ Transferred Duty	Equal or less than Industry Average	Greater than Industry Average	Greater than Industry Average

Create Risk Matrix to determine pre-qualification criteria for contractor

Risk Category	Service Contract Types	MinimumField Oversight Expectations
minimal advance planning, preparation, formal training, or work controls. Risks: slips, falls, cuts, incide	Classroom instructors Technical or consulting	 Contractor expected to report any incidents or injuries to onsite PG&Erepresentative Communication of general compliance expectations
advance planning, preparation, formal training, work controls, and audit/oversight. Risks: extensive driving, limited trenching and shoring, moderate environmental compliance impact	Lighting installation/repair Non-hazardous spill cleanup Pesticide/Herbicide Spraying Erosion Control Siting/Surveying Station Mowing	 Routine meetings with supervision with discussion on significant issues Documentedrandom field inspections by PG&E contract managers/project managers Contractor Supervision routinely on site DocumentedContractor post-job evaluation completed

Risk Category	Service Contract Types * Reference Utility Standard LAW-2001S	MinimumField Oversight Expectations
advance planning, preparation, formal training, robust work controls, and professional regular audit/oversight. Risks: incidental exposure to secondary voltage, digging into other utilities, exposure to energized electrical conductors, electrical flash, demolition wo work excavations and trenches, work in confined spaces, work at elevated locations, use of crane and heavy equipment, work with chemicals and solvents, work requiring grounding and bonding, rigging and hauling, asbestos	 Asbestos Abatement Lead Abatement Scaffold Erection/Dismantling rk, Nuclear/Hazardous Materials cleanup, disposal, testing of transportation Demolition/explosive work Construction Commercial Diving Operations Aviation services Abrasive or hydro cleaning 	contract managers/project
		11