

GSMATS 9/94 FH-70-C

Meter Name	Distric t	Gas Field
Pipe Line Number	Meter Number	Anniversary Month (See Note 1 Below)

Part 1 - To Be Completed Annually

Part 1 — To Be Completed Annually		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
This capacity check is for the											
FEST											
Did production deliveries exceed maximum relief device capacity? Yes			*	8	×	8	8	*	¥	*	*
Maximum relief capacity from Part 2, Section 2 = MMsc ID	No ***	*	*	*	*	*	8	*	*	*	*
Maximum production delivery since last field review was:	MMscfD										
2. Have there been any changes to the equipment, pressures		-8	*	*	*	8	ŝ	漱	*	*	*
(either inlet or outlet), or flows at this location which could affect	No **	*	*	*	*	*	ŧ	*	*	ŧ	*
the ability of the relief device to limit the pressure to the maximum set point?											
* Item 1 and 2 are Yes, revise Parts 2 and/or 3 of Annual Cap. Rev.											
** If answers to Item 1 and 2 are No, check Yes on Item 3.											A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
Does relief device at this meter have adequate capacity? If No, complete Part 3 of Annual Capacity Review.		*	*	*	ä	*	8	*	*	jķ:	*
		*	*	8	ŵ	8	\$	*	*	®	*
Verified By											
(Place initials in the appropriate box.)											
Date											
(Put date verified in the appropriate box.)											
Approved By											
(Place initials in the appropriate box.)											
Date											
(Put date approved in the appropriate box.)											

Notes:

- All pressure relief devices shall be inspected, tested, and the capacity reviewed at intervals not exceeding 15 months, but at least once each calendar year.
 Furthermore, in addition to the annual capacity testing, the capacity of the relief devices shall be verified immediately when changes are made which could affect the ability of the relief device to protect the connected systems.
- The Verified By box is usually initialed by a technician or an M&C mechanic.
 The Approved By box is usually initialed by a district superintendent or area operating supervisor.

General Comments: The relief device protects PG&E's downstream system.

Page 1 of 4

Retain This Document as a Permanent Record for the Life of the Facility.

Part 2 — To be r	evised if Item 2 of Pa	art 1 indicates	that a change has	occurred.					
Meter Name		Date	Date						
District		Gas Field							
Pipe Line Number	Supplied by Facility								
This Capacity Rev	iew Was Performed	in the Year _							
ar ann Banna Bar	D 0 114								
1. Receipt Point	Pressure Condition	ıs							
Upstream Regi	ılation?	Ye s	* 1/	ío *	Unknown	*			
P1 – Maximum pressure downstream of meter (MAOP, or MOP if lower) psig									
P2 – Maximum j	permissible downstre	eam pressure (see Par. 192.201)		_ psig			
Comments					P2	$P = 75/72 \times P1$			
2. PG&E Relief Device Protecting Line or System Described Above									
	Re	lief Device			Maximun	ı Calculated			
Device	Model	Orifice	Orifice Area	Max. Pressure	Capacity @ P1 (MMscfD)				
Manufacturer		Diameter (inches)	(sq. inches)	Setting (psig)					
Comments _									
_									
3. The relief device(s) has been installed as described in Part 2 and a copy of the maximum discharge capacity calculation is attached to this form.									
Approved by	GSM&TS Engineer			Date					
Verified by Fi			Date						

Page 2 of 4

Retain This Document as a Permanent Record for the Life of the Facility.

Meter Name	Date	
District	Gas Field	
Pipe Line Number Supplied by Facility		
 Additional relief capacity required (from value in Part 1, Item #1, less Part 2, Item #2). 		MMscfD
2. Corrective action to be taken		
a. Increase relief capacity (see Item #3, this sheet	t). *	
b. Replace relief equipment with a monitor.	*	
c. Other. Describe		
If relief capacity is increased by replacing the existi capacity, Part 3 must be revised and a revised copy		
4. Date capacity was found to be inadequate		
Comments		
5. Work to provide adequate overpressure protection	completed.	
Job No.	Completed on	
Description of Work Performed		
Approved by GSM&TS Engineer	Date	
Verified by Field	Date	

Page 3 of 4

Retain This Document as a Permanent Record for the Life of the Facility.

Relief Valve Calculation for Gas Gathering Facilities

Meter Name					District					
Meter No.				(Gas Field					
Line No.					Set Point			_ psig		
Relief Valve	Make / I	Model / Type								
г										
	Q =	6.32 x A x C x	K x P1 x Kb							
		√(M)	(T x Z)							
•										
	Q =	Calculated ma	ximum disch	arge capacity						
	A =		Orifice are	a, square inches		Bore =	i	inches		
	C =	345	Gas consta	nt (use 345 for na	atural gas	as a general com	iposite)			
	K =		Valve coef	ficient of dischar	narge (product data sheet)					
	P1 =		Inlet flowin	g pressure, psia	, psia (psig + 14.7 psi)					
	Kb	1	Back press	sure factor (defau	efault = 1.0, atmospheric)					
	M=	19	Molecular weight (use 19 for natural gas as a general composite)							
	T =		Relief temperature, absolute (${}^{\circ}R = {}^{\circ}F + 460{}^{\circ}$)							
	Z =	1	. Compressi	bility factor (if un	known, as	sume Z = 1.0)				
Maximum Discharge Q	<u> </u>	MMsch/	D	For bursting dis	ks, Crane	Tech. Paper #41	.0 is used wi	th inlet		
At		psig set	point	ID for tube noz	zle under	critical flow cond	ditions			
Calculated b	N.F				D	at e				

Page 4 of 4

Retain This Document as a Permanent Record for the Life of the Facility.