

**Pacific Gas and Electric Company
Odor Intensity Test Schedule for Gas Transmission and Distribution Systems**

Periodic sampling with an Odor Intensity Meter will be required at the following test points in the system per the requirements of paragraph 192.625 of DOT 49 CFR, Part 192

***All tests are to be performed weekly unless otherwise noted**

T&D Area	HQ	Local Office	Sniff Test Location(s)
1	San Francisco	San Francisco	Ft Mason
2	Diablo	Concord	Danville
-	-		Orinda St Stephens
-	-		Orinda Eastwood DR
-	-		San Ramon
3	Central Coast	Salinas	Carmel Valley Flight Road
-	Central Coast	Salinas	Davenport Dist Reg
-	-		San Ardo / King City
4	Fresno	Fresno	Clovis (Mitchell Peak Drive)
5	Yosemite	Modesto	Oakdale SC (25 mi E/o Manteca)
-	-		Martell Stockton
6	Sierra	Roseville	Auburn (L 173)
-	Sierra	Roseville	Nevada City (end of L 202)
-	North Valley	Chico	Paradise (Pentz Honeysuckle)
-	North Valley	Redding	Redding (in town)
-	Sacramento	Sacramento	Yolo
-	-		Roseville Road
-	-		North Sacramento Holder
-	-		Swingle Junction (V 28)
7	North Coast	Eureka	McKinleyville (Clam Beach)
-	North Coast	Eureka	Cummings Creek
-	North Coast	Eureka	Fortuna Rohnerville (Station)
-	North Coast	Santa Rosa	Willits (Longs Drugs)
GT&D	M&C GT	Kettleman	Kettleman L 300
-	-	Los Medanos	Antioch Terminal L-400 *(3x/week)
-	-		Los Medanos *Upon withdrawal as needed
-	-	Tracy	Brentwood Terminal
-	-		Rio Vista
-	-		Isleton Elementary
-	-		Las Vinas