



Hammer Frequency Chart
6M 1934587

805520
THE FORBES COMPANY
FORD, MASS.
U.S.A.



TEST STATION

1720000
17200000
S15H23
17200000

11 P.M. 10 P.M. 9 P.M. 8 P.M. 7 P.M. 6 P.M. 5 P.M. 4 P.M. 3 P.M. 2 P.M. 1 P.M. 12 P.M. 11 A.M. 10 A.M. 9 A.M. 8 A.M. 7 A.M. 6 A.M. 5 A.M. 4 A.M. 3 A.M. 2 A.M. 1 A.M. MIDNIGHT 6 DAY

20000
10000
5000
2000
1000
500
200
100
50
20
10
5
2
1
0.5
0.2
0.1
0.05
0.02
0.01
0.005
0.002
0.001
0.0005
0.0002
0.0001
0.00005
0.00002
0.00001

11-22-83

GM 1934587 STRENGTH

1. JOB STATION
2. LOCATION
3. DATE
4. TIME 1220
5. LENGTH
6. PIPE SPEC. A
7. RECORDING C
8. RANGE 0-2
9. DEAD WGT
10. RANGE
11. TEST FLUID WATER
12. SUPERVISED BY *Henry S. Bysler*
13. APPROVED *H. H. Hendry*

500 W.T. MIN.
LAST CALIBRATED SER. 2545879
LAST CALIBRATED N/A 10-18-83
DATE 11/24/83
DATE 11-24-83

DISTRICT REG. STA

* 100' 1.05 OD .113 WT
200' 3.50 OD .216 WT
95' 4.50 OD .237 WT

