# APPLE VALLEY RANCHOS **WATER COMPANY** Consumer Confidence Report & Annual Water Quality Report 2012/2013



Apple Valley Ranchos Water Company is pleased to provide you with a copy of this year's Annual Water Quality Report. We have put together a series of articles that we hope will keep you better informed on water quality issues both in general and specific to what comes from your own tap. Please feel free to contact us should you ever have any questions about service or quality.

# **AVRWC: Water Sustainability for Our Future**

Apple Valley Ranchos Water Company (AVRWC) has faithfully served its customers for 66 years. In 2012 we provided 12,474 acre-feet of high quality potable drinking water to over 60,000 residential and business customers. This equates to over 4 billion gallons of water served over an area of approximately 50 square miles that encompasses approximately 81% of the Town of Apple Valley and portions of the surrounding area through a network of 465 miles of underground pipeline.

While we are currently experiencing low levels of growth within our system we do not expect this to last. Historically growth has come in rapid bursts followed by periods of calm. We are using this time to perform hydraulic modeling of transmission mains to ensure an adequate supply of water for the next 25 years. We are also working on a study to improve flows to the Northern part of our system allowing the Town of Apple Valley to develop its much anticipated Industrial Park.

AVRWC is constantly working to improve our service and guarantee that we have water to meet future demands. Several ways in which we are doing this is by following the suggestions of our Water Use Efficiency Plan, our Standard Water Audit Plan, and our Water Pumping Facility Maintenance programs. Look for our section on Capital Improvements to see just how many dollars we are investing to guarantee that we have adequate infrastructure to meet future demands.

As you can see, we are dedicated to maintaining and improving our water system. All this adds up to one thing; a large investment in your future!

*Este informe contiene informacion muy importante sobre su agua potable. Traduzcalo o hable con alguien que lo entienda bien.* 



## Apple Valley Ranchos Water Company Sources

۲

**Apple Valley Ranchos Water Company** (AVRWC) pumps 100% of our source water from 20 deep wells located throughout the community. These wells draw water from the deep Alto subunit of the Mojave ground water basin. This high quality aquifer is recharged from snowmelt from the San Bernardino Mountains to the south and the Mojave River to the west. Also, the Mojave Water Agency (MWA) imports water from the California State Water project to spread in the Mojave River to help recharge the ground water. Some of the water we pump has been age-dated close to 10,000 years old by the United States Geologic Survey. That means it has been protected and naturally filtered for a very long time.

### What EPA Says About the Kinds of Contaminants That Might Be Found In Drinking Water

As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. In order to ensure that tap water is safe to drink, the United States Environmental Protection Agency (EPA) and the California Department of Public Health (DPH) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The federal Food and Drug Administration (FDA) and DPH regulations also establish limits for contaminants in bottled water, which must provide the same protection for public health.

#### Contaminants that may be present in untreated source water include:

- Microbial contaminants, such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, that can be naturally occurring or be the result of oil and gas productions and mining activities.

What are drinking water standards?

Drinking water standards are regulations that the EPA sets to control the level of contaminants in the nation's drinking water. EPA, the State Department of Public Health (DPH) and the California Public Utilities Commission (CPUC) are the agencies responsible for establishing drinking water quality standards in California. These standards are part of the Safe Drinking Water Act's "multiple barrier" approach to drinking water protection, which includes assessing and protecting drinking water sources; protecting wells and surface water; making sure water is treated as needed by the appropriate treatment technology by qualified operators; ensuring the integrity of distribution systems; and making information available to the public on the quality of their drinking water. With the involvement of EPA, DPH, the CPUC, drinking water utilities, communities and citizens, these multiple barriers ensure that tap water is safe to drink. The water delivered to your home meets standards required by EPA, DPH and CPUC. To recover the growing cost of meeting and maintaining EPA, DPH and CPUC standards, AVRWC submits a General Rate Case to the CPUC every three years. The CPUC is responsible for establishing water rates for AVRWC.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. The tables in this report indicate which minerals and substances have been detected in the water provided by Ranchos. More information about contaminants and potential health effects can be obtained by calling the USEPA Safe Drinking Water Hotline at 1-800-426-4791. You can also go to the following websites for more information:

USEPA - www.epa.gov/safewater California Department of Public Health www.cdph.ca.gov/certlic/drinkingwater/Pages/default.aspx

### Sensitive Populations May Be More Vulnerable

Some people may be more vulnerable to contaminants in drinking water than the general population. Persons with compromised immune systems such as those with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care provider. The USEPA and the national Centers for Disease Control (CDC) have guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants. These are available by calling the Safe Drinking Water Hotline at 1-800-426-4791.

If you would like more information about water quality, or to find out about upcoming opportunities to participate in public meetings, please call Jeff Kinnard at 760-247-9332 extention 4323.

This report describes those contaminants that have been detected in the analysis of almost 200 different potential contaminants, nearly 100 of which are regulated by EPA and the California Department of Public Health. AVRWC is proud to tell you that there have been no contaminants detected that exceed any federal or state drinking water standards. Hundreds of samples analyzed every month and thousands every year by AVRWC contract certified laboratories assure that all primary (health related) and secondary (aesthetic) drinking water standards are being met. See the tables on the following page to see how your water quality rates.

This report is intended to provide information for all water users. If received by an absentee landlord, a business, or a school, please share the information with tenants, employees or students. We will be happy to make additional copies of this report available. Complete records of water quality analyses are open for inspection by the public upon request. You may also access this report on the AVRWC website at www.avrwater.com.

### **Capital Improvements / Maintenance of Infrastructure**

We here at Apple Valley Ranchos are proud of our history of reinvesting back into our company. Please see the chart below to view the breakdown of over 5 million dollars we reinvested in 2012. AVRWC has maintained a high quality, fast growing, water system for over 60 years. We look forward to serving you for many years to come.

		Capital	Improv	ement 200	8-2012	
	Length of Water Main Installed (feet)	Number of Fire Hydrants Installed	Number of Services Installed (each)	Amt of Water Main, Fire Hydrants & Services Installed (\$)	Amount of Source of Supply Improvements (\$)	Total Dollars Reinvested
2008	34,731	53	290	\$ 2,747,756	\$1,246,095	\$ 3,993,851
2009	13,242	27	252	\$ 1,019,312	\$ 768,339	\$ 1,787,651
2010	15,392	23	268	\$ 1,465,218	\$ 217,977	\$ 1,683,195
2011	19,331	16	385	\$ 2,408,766	\$ 681,444	\$ 3,090,210
2012	29,096	39	447	\$ 3,872,943	\$1,165,593	\$ 5,038,536
Totals	111,792	158	1,642	\$11,513,995	\$4,079,448	\$15,593,443



۲

Pictured at right: Well 11R Site Improvements

# Issues to Know About

### Lead and Copper

While there have never been any problems with lead or copper at AVRWC, the USEPA and DPH require the following information be presented in this report. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. AVRWC is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/ safewater/lead. To meet the requirements of the Lead and Copper Rule AVRWC will be leaving 30 Lead and Copper samples bottles at selected customer homes in June of 2013.

### Boron

In 2011, AVRWC detected the naturally occurring mineral Boron in a rarely used well that exceeds the DPH Notification Level (NL). The NL for Boron is 1 milligram per liter (mg/L), or part per million (ppm). The level of Boron in this well in 2012 was 1.27 mg/L. Also in 2012, AVRWC detected and confirmed Boron above the NL in one additional well, at an average level of 1.5 mg/L. The health endpoint of concern is described by DPH as follows: "Non-cancer - decreased fetal weight (developmental) in rats". This is based on animal studies reviewed by the EPA. No known human health outcomes have been discovered, thus no drinking water standard currently exists for Boron. The DPH does not recommend that AVRWC take any corrective action unless the level of Boron in this well reaches ten times the NL, which would be 10 mg/L. AVRWC will continue to perform frequent monitoring of these wells for Boron in order to track any possible increases. The only action required by these findings was notification of the Apple Valley Town Council and AVRWC customers in this Consumer Confidence Report.

### Arsenic

While your drinking water meets the federal and state standard for arsenic, it does contain low levels of arsenic. The arsenic standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. The U.S. Environmental Protection Agency continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

# Triennial Public Health Goal Report and Public Hearing

Every three years, large water utilities must compare their source water quality to existing Public Health Goals (PHG's). This will occur again this year (2013). AVRWC will be preparing a report on arsenic, fluoride, hexavalent chromium, gross alpha radiation, radium 228 and uranium. The report will describe any available treatment technology to remove or reduce these contaminants, the cost to treat for removal and the annual cost per customer to meet all PHG's. A public hearing to receive and respond to comments from the public will be held at the AVRWC office at 21760 Ottawa Rd. on Wednesday, July 31, 2013 at 10:00 a.m. All interested members of the public are invited to attend.

### **Automated Telephone Service**

AVRWC has streamlined our automated telephone line. Just by calling **760-247-6484** or **800-481-9190** you can do the following:

- Get account balance and last payment information
- Make payments using electronic checks, credit and debit cards
- Make a payment arrangement
- Speak to a customer service professional

### Access Your Account Information Online

AVRWC is now offering online account information and bill payment. You may register for Infinitylink by visiting our website at: www.avrwater.com

- Get your account balance
- View your payment history
- View your bill detail
- Request services
- Pay your bill using electronic transfer, debit and credit card

It's fast and easy! Go to ... www.avrwater.com. Look for the sign up button in the right side "quick links" bar to register. Have your account information ready and register today.

# Unregulated Contaminant Monitoring

The Safe Drinking Water Act requires EPA to identify unregulated contaminants for potential regulation. Every five years, EPA identifies a list of unregulated contaminants to be monitored for by the nation's water utilities over a three year period. This is again occurring in 2013 - 2015. Beginning this year, AVRWC will be monitoring for a total of 29 chemical contaminants from all of our wells spread out over the next three years along with a corresponding sampling from the distribution system reflecting water from each well. Once EPA has obtained this occurrence data nationally, they are required to determine if there is a meaningful opportunity for increased health protection of drinking water by regulating these contaminants. We will be reporting any findings from this monitoring beginning with next year's Consumer **Confidence Report.** 

## Source Water Assessment Completed and Available

۲

The 1996 Safe Drinking Water Act amendments required states to perform an assessment of potentially contaminating activities near drinking water sources of all water utilities. In California, the DPH required the utilities to perform the assessments themselves. AVRWC completed the Source Water Assessment in December of 2002. The assessment has been updated since for three new wells. AVRWC wells are considered most vulnerable to the following activities associated with potential contamination of ground water in Apple Valley: high density housing, high and low density septic systems, parks, irrigated crops, golf courses and sewer collection systems. Additional activities that are potentially vulnerable for our wells are: gas stations, roads, streets, railroads, storm water injection wells, storm drain discharge points, storm water detention facilities, agricultural and irrigation water wells, historic grazing, historic waste dumps and landfills, machine shops and leaking underground storage tanks.

A copy of the complete assessment is available at Apple Valley Ranchos Water Company and at the DPH San Bernardino office. You may request a summary of the assessment be sent to you by contacting Scott Weldy of Ranchos at 760-247-6484 or by calling the DPH office at 909-383-4328. ۲

### Water Results Apple Valley Ranchos Water Company 2012 / 2013 Annual Water Quality Report

							Vater Quality Report Water Company Wells
PRIMARY STANDARDS Mandatory (health-related) INORGANIC CHEMICALS	State MCL	PHG or (MCLG)	Units of Measurement	AVR Range (including) highest value)	Average for AVR Wells ( a )	( b ) AVR Date of last Measurement	Potential Sources of Contamination
Arsenic	10.0	0.004	ррь	<2 - 5.9	2	2010/11/12	Erosion of natural deposits; runoff from orchards; glass and electronics production wastes
Fluoride	2.0	1.0	ppm	0.28 - 1.2	0.53	2010/11/12	Erosion of natural deposits; discharge from fertilizer and aluminum factories; water additive that promotes strong teeth (not added by AVR)
Nitrate (as NO3)	45	45	ppm	<2 - 14	4.9	2012	Erosion of natural deposits; runoff and leaching from fertilizer use; leaching from septic tanks and sewers
Nitrite/Nitrate (as N)	10	10	ppm	<0.4 - 3.2	1.1	2012	Erosion of natural deposits; runoff and leaching from fertilizer use; leaching from septic tanks and sewers
RADIONUCLIDES							
Gross Alpha	15	(0)	pCi/L	<3 - 4.8	ND	2004 - 2012	Erosion of natural deposits
Combined Radium (Radiuam 226 + 228)	5	(0)	pCi/L	<1 - 1.6	ND	2003 - 2009	Erosion of natural deposits
Uranium	20	0.43	pCi/L	<1 - 3	ND	2004 - 2012	Erosion of natural deposits
2010 LEAD AND COPPER MONITORING	Action Level (AL)	PHG or (MCLG)	Units of Measurement	Number of Samples Collected	No. of Sites Exceeding Action Level	90th Percentile Level Detected	Potential Sources of Contamination
Copper*	1.3	0.17	ppm	30	0	0.057	Internal corrosion of household water plumbing systems
Lead*	15	2	ppb	30	0	ND	Internal corrosion of household water plumbing systems
		1	Water Oua	lity Parameter	s Measured in	the Distributio	n System
				AVR Range	Average	(b)AVR	Potential Sources
DISTRIBUTION SYSTEM	State MCL	PHG or (MCLG)	Units of Measurements	(including highest value)	for AVR	Date of last Measurement	of Contamination
SYSTEM	MCL	(MCLG)	Measurements	(including highest value)	for AVR	Date of last Measurement	of Contamination
				(including	for	Date of last	of
SYSTEM Chlorine residual Heterotrophic Plate	MCL MRDL = 4	(MCLG) MRDLG = 4	Measurements ppm	(including highest value) 0.08 - 2.2	for AVR 0.49	Date of last Measurement weekly	of Contamination Added for disinfection purposes
SYSTEM Chlorine residual Heterotrophic Plate Count Bacteria	MCL MRDL = 4 NS	(MCLG) MRDLG = 4 none	Measurements ppm CFU / ml	(including highest value) 0.08 - 2.2 <1 - 880	for AVR 0.49 2	Date of last Measurement weekly weekly	of Contamination Added for disinfection purposes Naturally present in the environment
SYSTEM       Chlorine residual       Heterotrophic Plate       Count Bacteria       Color	MCL MRDL = 4 NS 15 #	(MCLG) MRDLG = 4 none none	Measurements ppm CFU / ml units	(including highest value) 0.08 - 2.2 <1 - 880 <3 - 8	for AVR 0.49 2 <3	Date of last Measurement weekly weekly monthly	of Contamination Added for disinfection purposes Naturally present in the environment Naturally occurring organic materials
SYSTEM Chlorine residual Heterotrophic Plate Count Bacteria Color Total Coliform Bacteria Total Trihalomethanes	MCL MRDL = 4 NS 15 # 5%	(MCLG) MRDLG = 4 none (0)	Measurements ppm CFU/ml units % positive	(including highest value) 0.08 - 2.2 <1 - 880 <3 - 8 0 - 1.2%	for AVR 0.49 2 <3 0.10%	Date of last Measurement weekly monthly weekly	of Contamination Added for disinfection purposes Naturally present in the environment Naturally occurring organic materials Naturally present in the environment
SYSTEM         Chlorine residual         Heterotrophic Plate         Count Bacteria         Color         Total Coliform Bacteria         Total Trihalomethanes         (TTHM's)**         Turbidity	MCL MRDL = 4 NS 15 # 5% 80 5	(MCLG) MRDLG = 4 none (0) none none	Measurements ppm CFU/ml units % positive ppb NTU	(including highest value) 0.08 - 2.2 <1 - 880 <3 - 8 0 - 1.2% 5.7 - 20 <0.2 - 1.4	for AVR 0.49 2 <3 0.10% 20 <0.2	Date of last Measurement weekly weekly quarterly monthly	of Contamination Added for disinfection purposes Naturally present in the environment Naturally occurring organic materials Naturally present in the environment By-product of drinking water disinfection Soil runoff
SYSTEM Chlorine residual Heterotrophic Plate Count Bacteria Color Total Coliform Bacteria Total Trihalomethanes (TTHM's)**	MCL MRDL = 4 NS 15 # 5% 80	(MCLG) MRDLG = 4 none (0) none	Measurements ppm CFU / ml units % positive ppb	(including highest value) 0.08 - 2.2 <1 - 880 <3 - 8 0 - 1.2% 5.7 - 20	for AVR 0.49 2 <3 0.10% 20	Date of last Measurement weekly weekly monthly weekly quarterly	of Contamination Added for disinfection purposes Naturally present in the environment Naturally occurring organic materials Naturally present in the environment By-product of drinking water disinfection
SYSTEM Chlorine residual Heterotrophic Plate Count Bacteria Color Total Coliform Bacteria Total Trihalomethanes (TTHM's)** Turbidity Haloacetic Acids (HAA's)** SECONDARY STANDARDSAesthetic standards (non-health related)	MCL MRDL = 4 NS 15 # 5% 80 5 60 State	(MCLG) MRDLG = 4 none (0) none none PHG or	Measurements  ppm CFU/ml  units % positive ppb NTU ppb Units of	(including highest value) 0.08 - 2.2 <1 - 880 <3 - 8 0 - 1.2% 5.7 - 20 <0.2 - 1.4 <1.0 - 1.6 AVR Range (including	for AVR 0.49 2 <3 0.10% 20 <0.2 1.6 Average for AVR	Date of last Measurement weekly weekly quarterly quarterly (b) AVR Date of last	of Contamination Added for disinfection purposes Naturally present in the environment Naturally occurring organic materials Naturally present in the environment By-product of drinking water disinfection Soil runoff By-product of drinking water disinfection Potential Sources of
SYSTEM Chlorine residual Heterotrophic Plate Count Bacteria Color Total Coliform Bacteria Total Trihalomethanes (TTTHM's)** Turbidity Haloacetic Acids (HAA's)** SECONDARY STANDARDSAesthetic standards (non-health related) CHEMICAL PARAMETERS	MCL MRDL = 4 NS 15 # 5% 80 5 60 5 60 State MCL	(MCLG) MRDLG = 4 none (0) none none PHG or (MCLG)	Measurements  ppm CFU / ml  cFU / ml  munits  ppb  NTU  ppb  Units of Measurements	(including highest value) 0.08 - 2.2 <1 - 880 -3 - 8 0 - 1.2% 5.7 - 20 <0.2 - 1.4 <1.0 - 1.6 AVR Range (including highest value)	for AVR 0.49 2 3 0.10% 20 <0.2 1.6 Average for AVR Wells ( a )	Date of last Measurement weekly weekly quarterly quarterly quarterly (b) AVR Date of last Measurement	of Contamination Added for disinfection purposes Naturally present in the environment Naturally occurring organic materials Naturally present in the environment By-product of drinking water disinfection Soil runoff By-product of drinking water disinfection Potential Sources of Contamination Runoff / leaching from natural deposits;
SYSTEM Chlorine residual Heterotrophic Plate Count Bacteria Color Total Coliform Bacteria Total Trihalomethanes (TTHM's)** Turbidity Haloacetic Acids (HAA's)** SECONDARY STANDARDSAesthetic standards (non-health related) CHEMICAL PARAMETERS Chloride	MCL         MRDL = 4         NS         15 #         5%         80         5         60         State MCL         500	(MCLG) MRDLG = 4 none (0) none none PHG or (MCLG) none	Measurements  ppm CFU / ml  units  % positive  ppb  NTU  ppb  Units of Measurements  ppm	(including highest value) 0.08 - 2.2 <1 - 880 - 3 - 8 0 - 1.2% 5.7 - 20 <0.2 - 1.4 <1.0 - 1.6 AVR Range (including highest value) 4.5 - 260	for AVR 0.49 2 3 0.10% 20 <0.2 1.6 Average for AVR Wells ( a ) 21	Date of last Measurement weekly weekly quarterly quarterly (b) AVR Date of last Measurement 2010/11/12	of         Added for disinfection purposes         Naturally present in the environment         Naturally occurring organic materials         Naturally present in the environment         By-product of drinking water disinfection         Soil runoff         By-product of drinking water disinfection         Potential Sources of Contamination         Runoff / leaching from natural deposits; seawater influence
SYSTEM Chlorine residual Heterotrophic Plate Count Bacteria Color Total Coliform Bacteria Total Trihalomethanes (TTHM's)** Turbidity Haloacetic Acids (HAA's)** SECONDARY STANDARDSAesthetic standards (non-health related) CHEMICAL PARAMETERS Chloride Iron	MCL         MRDL = 4         NS         15 #         5%         80         5         60         State         MCL         500         300	(MCLG) MRDLG = 4 none (0) none none PHG or (MCLG) none none	Measurements  Ppm CFU / ml  CFU / ml  Maints  ppb NTU Ppb Units of Measurements  ppm ppb	(including highest value) 0.08 - 2.2 <1 - 880 3 - 3 - 8 0 - 1.2% 5.7 - 20 <0.2 - 1.4 <0.2 - 1.4 <1.0 - 1.6 AVR Range (including highest value) 4.5 - 260 <100 - 120	for AVR 0.49 2 3 0.10% 20 <0.2 1.6 Average for AVR Wells ( a ) 21 ND	Date of last Measurement weekly weekly quarterly quarterly (b) AVR Date of last Measurement 2010/11/12	of         Added for disinfection purposes         Naturally present in the environment         Naturally occurring organic materials         Naturally present in the environment         By-product of drinking water disinfection         Soil runoff         By-product of drinking water disinfection         Contamination         Runoff / leaching from natural deposits; seawater influence         Leaching from natural deposits; industrial processes
SYSTEM         Chlorine residual         Heterotrophic Plate         Count Bacteria         Color         Total Coliform Bacteria         Total Coliform Bacteria         Total Trihalomethanes         (TTHM's)**         Turbidity         Haloacetic Acids (HAA's)**         SECONDARY STANDARDS         -Aesthetic standards         (non-health related)         CHEMICAL PARAMETERS         Chloride         Iron         Odor Threshold	MCL         MRDL = 4         NS         15 #         5%         80         5         60         State         MCL         500         300         3	(MCLG) MRDLG = 4 none (0) none none PHG or (MCLG) none none	Measurements  Ppm CFU / ml  CFU / ml  Maints  NTU  Ppb  Units of Measurements  Ppm  ppb  units	(including highest value) 0.08 - 2.2 <1 - 880 0 - 1.2% 5.7 - 20 <0.2 - 1.4 <1.0 - 1.6 AVR Range (including highest value) 4.5 - 260 <100 - 120 1 - 0	for AVR 0.49 2 3 0.10% 20 <0.2 1.6 Average for AVR Wells ( a ) 21 ND <1	Date of last Measurement weekly weekly quarterly quarterly (b) AVR Date of last Measurement 2010/11/12 2010/11/12	of         Contamination         Added for disinfection purposes         Naturally present in the environment         Naturally occurring organic materials         Naturally present in the environment         By-product of drinking water disinfection         Soil runoff         By-product of drinking water disinfection         Potential Sources of Contamination         Runoff / leaching from natural deposits; seawater influence         Leaching from natural deposits; industrial processes         Naturally occurring organic materials         Substances that form ions when in water,
SYSTEM Chlorine residual Heterotrophic Plate Count Bacteria Color Total Coliform Bacteria Total Trihalomethanes (TTHM's)** Turbidity Haloacetic Acids (HAA's)** SECONDARY STANDARDSAesthetic standards (non-health related) CHEMICAL PARAMETERS Chloride Iron Odor Threshold Specific Conductance	MCL         MRDL = 4         NS         15 #         5%         80         5         60         State         MCL         500         300         3         1,600	(MCLG) MRDLG = 4 none (0) none none PHG or (MCLG) none none none	Measurements  Ppm CFU / ml  CFU / ml  with formality  ppb  NTU ppb  Units of Measurements  ppm  ppb  units  micromhos per centimeter	(including highest value) 0.08 - 2.2 <1 - 880 3 - 3 - 8 0 - 1.2% 5.7 - 20 <0.2 - 1.4 <1.0 - 1.6 AVR Range (including highest value) 4.5 - 260 <100 - 120 1-0 190 - 1400	for AVR 0.49 2 3 0.10% 20 <0.2 1.6 Average for AVR Wells ( a ) 21 ND <1 317	Date of last Measurement weekly weekly quarterly quarterly (b) AVR Date of last Measurement 2010/11/12 2010/11/12	of Contamination         Added for disinfection purposes         Naturally present in the environment         Naturally occurring organic materials         Naturally present in the environment         By-product of drinking water disinfection         Soil runoff         By-product of drinking water disinfection         Potential Sources of Contamination         Runoff / leaching from natural deposits; seawater influence         Leaching from natural deposits; industrial processes         Naturally occurring organic materials         Substances that form ions when in water, seawater influence         Runoff / leaching from natural deposits; industrial processes
SYSTEM Chlorine residual Heterotrophic Plate Count Bacteria Color Total Coliform Bacteria Total Trihalomethanes (TTHM's)** Turbidity Haloacetic Acids (HAA's)** SECONDARY STANDARDSAesthetic standards (non-health related) CHEMICAL PARAMETERS Chloride Iron Odor Threshold Specific Conductance Sulfate	MCL         MRDL = 4         NS         15 #         5%         80         5         60         State         MCL         500         300         3         1,600         500	(MCLG) MRDLG = 4 none (0) none none PHG or (MCLG) none none none none	Measurements         ppm         CFU / ml         units         % positive         ppb         NTU         ppb         Units of Measurements         ppm         ppb         units         ppt         ppt <tr tr=""></tr>	(including highest value) 0.08 - 2.2 <1 - 880 - 3 - 8 0 - 1.2% 5.7 - 20 <0.2 - 1.4 <1.0 - 1.6 AVR Range (including highest value) 4.5 - 260 <100 - 120 1-0 190 - 1400 9 - 230	for AVR 0.49 2 3 0.10% 20 <0.2 1.6 Average for AVR Wells ( a ) 21 ND <1 317 39	Date of last Measurement weekly monthly weekly quarterly monthly quarterly (b) AVR Date of last Measurement 2010/11/12 2010/11/12 2010/11/12	of         Added for disinfection purposes         Naturally present in the environment         Naturally occurring organic materials         Naturally present in the environment         By-product of drinking water disinfection         Soil runoff         By-product of drinking water disinfection         Soil runoff         By-product of drinking water disinfection         Leaching from natural deposits; industrial processes         Naturally occurring organic materials         Substances that form ions when in water, seawater influence         Runoff / leaching from natural deposits; industrial processes         Naturally occurring organic materials         Substances that form ions when in water, seawater influence         Runoff / leaching from natural deposits; industrial wastes

۲

Detected Unregulated Chemicals That May be of Interest to (						
ADDITIONAL PARAMETERS unregulated	State MCL	PHG or (MCLG)	Units of Measurements	AVR Range (including highest value)	Average for AVR Wells ( a )	( b ) AVR Date of last Measurement
Agressiveness Index (c)	NS	none	units	11 - 12	11.6	2010/11/12
Alkalinity (as Ca CO3)	NS	none	ppm	45 - 100	76	2010/11/12
Boron	NS	NL = 1,000	ppb	<100 - 1600	106	2012
Calcium	NS	none	ppm	12 - 110	27	2010/11/12
Corrosivity (Langlier Index) (d)	Non- corrosive	none	positive / negative	(-0.68) - (+0.35)	- 0.09	2010/11/12
Hardness (Ca CO3)	NS	none	ppm	24 - 390	85	2010/11/12
Hardness (grains)	NS	none	grains	1.4 - 22.8	5	2010/11/12
Hexavalent Chromium	NS	none	ppb	0.33 - 5.4	2.4	2011
Magnesium	NS	none	ppm	1.2 - 28	4.6	2010/11/12
рН	6.5-8.5	none	units	7.4 - 8.5	8	2010/11/12
Potassium	NS	none	ppm	<1 - 4.2	1.4	2010/11/12
Sodium	NS	none	ppm	13 - 130	32	2010/11/12

### **KEY TO ABBREVIATIONS AND FOOTNOTES**

- MCL = Maximum Contaminant Level, a drinking water standard
- MCLG = Maximum Contaminant Level Goal
  - **AL** = Action Level
  - ND = Not detected
  - **NL** = Notification Level
  - **NS** = No Standard
  - **NA** = Not Applicable at this time or not required to analyze for
  - **NTU** = Nephelometric Turbidity Units. This is a measure of the suspended material in water
- **CFU / ml =** colony forming units per millimeter
  - **ppm** = parts per million or milligrams per liter
  - **ppb** = parts per billion or micrograms per liter
  - pCi/L = picoCuries per liter
    - < = less than (essentially equivalent to ND)
    - # = A secondary (aesthetic) drinking water standard
    - ## = Unregulated contaminant monitoring helps EPA and the DPH to determine where certain contaminants occur and whether the contaminants need to be regulated. Boron, Hexavalent chromium and vanadium were monitored as part of the federal and state Unregulated Contaminant Monitoring Regulations.
      - \* = Lead and Copper are regulated as a Treatment Technique (TT) under the Lead and Copper Rule. It requires water systems to take samples at "most vulnerable" consumer taps every three years and treatment steps must be taken if more than 10% of tap samples exceed the AL. AVR has not exceeded this level.
    - \*\* = Average value reported is highest quarterly value of the four quarters sampled.
- (a) = The average is weighted according to the individual contribution in pumping by each well to the total (active wells only)
- (b) = The state allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants in groundwater sources do not change frequently. Some of our data, though representative, are more than one year old.

- (c) = An aggressiveness index of 11 or greater indicates that the water is not aggressive (noncorrosive)
- (d) = A positive number Langlier index indicates that the water is noncorrosive

#### DEFINITIONS

#### **Public Health Goal (PHG):**

The level of a contaminant in drinking water below which there is no known or expected risk to health. PHG's are set by the California Environmental Protection Agency.

#### Maximum Contaminant Level (MCL):

The highest level of a contaminant that is allowed in drinking water. Primary MCL's are set as close to the PHG's (or MCLG's) as is economically and technologically feasible. Secondary MCL's are set to protect the odor, taste, and appearance of drinking water.

#### Maximum Contaminant Level Goal (MCLG):

The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLG's are set by the U.S. Environmental Protection Agency.

#### Maximum Residual Disinfectant Level (MRDL):

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

#### Maximum Residual Disinfectant Level Goal (MRDLG):

The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

#### **Regulatory Action Level (AL):**

The concentration of a contaminant that, if exceeded, triggers treatment or other requirements that a water system must follow.

#### **Primary Drinking Water Standard:**

MCL's and MRDL's for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

#### Secondary Drinking Water Standard:

Requirements that ensure that appearance, taste and smell of drinking water are acceptable.

#### Notification Level (NL):

۲

The concentration of a contaminant that, if exceeded, triggers notification to local political jurisdictions and customers.

### APPLE VALLEY RANCHOS WATER COMPANY

21760 Ottawa Road, Apple Valley, CA 92307 Phone: (760) 247-6484 www.avrwater.com



### Consumer Confidence Report & Annual Water Quality Report 2012/2013

