Weimar Water Company

Water Quality Report - 2013



Annual Water Quality Report Requirements. California water retailers must meet standards established by the Environmental Protection Agency (EPA) and the California Department of Health Services (the Department). The Department enforces drinking water standards within the State. Under State and Federal laws, we are required to send you an annual report on our water quality. Included are details about where your water comes from, what it contains, and how it compares to standards.

Our goal is, and always has been, to provide you with a safe and dependable supply of water. Your drinking water consistently meets and exceeds State and Federal standards. We are committed to providing you with information because informed customers are our best allies. For more information about your water please call Gerry LaBudde at 530/637-4441.

Spanish Speaking Customers. Este informe contiene informacion muy importante sobre su agua potable. Traduzcalo o hable con alguien que lo entienda bien.

Water Supply Source. Sierra snowmelt run-off from the Yuba and Bear River water sheds flows though Lake Spaulding, and the Pacific Gas and Electric (PG&E) Drum Forebay. Water is conveyed from Drum Forebay through Placer County Water Agency's Boardman Canal to the Weimar Water Company's water treatment plant. PCWA has completed and updated a Sanitary Survey and Source Water Assessment of the Yuba-Bear River watershed (2012). To review the Sanitary Survey and Watershed Assessment, please contact PCWA at 530-823-4850.

About Drinking Water. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791).

Environmental Influences on Water. The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radio-active material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water BEFORE WE TREAT IT include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture and residential uses.
- Radioactive contaminants, that are naturally occurring or are the result of oil and gas production and mining activities...
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of
 industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff,
 agricultural applications and septic systems.

Ensuring Safety. In order to ensure that tap water is safe to drink, the EPA and the Department prescribe regulations, which limit the amount of certain contaminants in water provided by public water systems. We treat our water according to the Department's regulations. Department regulations also establish limits for contaminants in bottled water, which must provide the same protection for public health.

Note to At-Risk Water Users. Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).



TERMS USED IN THIS REPORT:

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The level of a disinfectant added for water treatment that may not be exceeded at the consumer's tap.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a disinfectant added for water treatment below which there is no known or expected risk to health. MRDLGs are set by the U.S. Environmental Protection Agency. Primary Drinking Water Standards (PDWS): MCLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Variances and Exemptions: Department permission to exceed an MCL or not comply with a treatment technique under certain conditions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (ug/L)

ppt: parts per trillion or nanograms per liter (ng/L)

pCi/L: picocuries per liter (a measure of radiation)

2013 Water Quality Data. The table below lists all the drinking water contaminants that we detected. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Unless otherwise noted, the data presented in this table is from testing done January 1-December 31, 2013.

Regulated Contaminants with Primary MCLs (samples collected in 2013 unless noted)

Parameters/Constituents	Units	State MCL	MCLG (or PHG)	Range (avg.)	Detected Level	Likely Source of Contamination
Gross Alpha (2008)	pCi/L	15	0	<3	<3	Erosion of natural deposits
Total Trihalomethanes	ppb	80	n/a	24.2-52.3 (35.8)	52.3	Byproduct of drinking water chlorination
HAA5	ppb	60	n/a	21.1-37.0 (29.6)	37.0	*

Regulated Contaminants with Secondary MCLs (samples collected in 2013 unless noted)

Parameters/Constituents	Units	State SMCL	MCLG (or PHG)	Range (avg.)	Detected Level	Likely Source of Contamination
Total Dissolved Solids	ppm	1000	none	X III	32	Runoff/leaching from natural sources
Specific Conductance	micro- mhos	1600	none	-244	42	Substances that form ions when in water
Calcium	ppm	none	none	3****	3.2	n/a
Magnesium (2012)	ppm				1.9	n/a
Chloride	ppm	500	none	. 22	3.2	Runoff/leaching from natural sources
Iron	ppb	300	None		230	Leaching from natural deposits; industrial wastes
Sulfate as SO ₄	ppm	500	none		1.1	Runoff/leaching from natural sources



Sampling Results Showing Treatment of Surface Water Sources- Conventional Filtration (a)

Contaminant	MCL	PHG	Range	Sample Date	Violation	Typical Source
	TT = 1 NTU	N/A	N/A	2013	No	Soil runoff
Turbidity	TT = 95% of samples ≤0.3 NTU		N/A			
Turbidity Performa (that must be met thr	ince Standards (b) rough the water treatment process)		1 – B month 2 – No	e less than o t exceed 1.0		J in 95% of measurements in a eight consecutive hours.
Lowest monthly percentage of samples that met Turbidity Performance Standards				100%		
Highest single turbidity measurement during the year			0.15	0.15		
Number of violations of any surface water treatment requirements			ts 0	0		

(a) A required process intended to reduce the level of a contaminant in drinking water.

Additional Constituents Analyzed (samples collected in 2013 unless noted)

Parameters/Constituents	Units	State MCL	MCLG (or PHG)	Detected Level (avg)	Likely Source of Contamination
Total Hardness as CaCO ₃	ppm	n/a	none	11	Naturally present
Total Alkalinity	ppm	n/a	none	15-30 (23)	Naturally present
Total Organic Carbon	ppm	n/a	none	1.0-1.2 (1.1)	Naturally present
Potassium (2011)	ppm	n/a	none	1.07	Naturally present
Sodium	ppm	n/a	none	2.8	Naturally present

Lead and Copper (Most Recent Sample 2012)

Parameters/Constituents	No. of samples collected	90th percentile level detected	No. Sites exceeding AL	AL	MCLG	Typical Source of Contaminant
Lead (ppb)	10	0	0	15	0.2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits.
Copper (ppm)	10	0.44	0	1.3	0.3	ii ii

Information On Lead. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Weimar Water Company is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead

⁽b) Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.

Consumer Confidence Report Certification Form

(To be submitted with a copy of the CCR)

Wate	r Syste	m Name: Weimar Water Co.
Wate	r Syste	m Number: 311003.5
6- Furth	<u> 5 - /</u> er, the	ystem named above hereby certifies that its Consumer Confidence Report was distributed on (date) to customers (and appropriate notices of availability have been given). system certifies that the information contained in the report is correct and consistent with the monitoring data previously submitted to the California Department of Public Health.
Certi	fied by	: Name: Gerry LaBudde Signature:
		Title: President
		Phone Number: (530) 637-4441 Date: 6-5-14
		ze report delivery used and good-faith efforts taken, please complete this page by checking all oply and fill-in where appropriate:
	delive	was distributed by mail or other direct delivery methods (attach description of other direct ry methods used).
X		was distributed using electronic delivery methods described in the Guidance for Electronic
		ery of the Consumer Confidence Report (water systems utilizing electronic delivery methods
\Box		complete the second page).
ш		I faith" efforts were used to reach non-bill paying consumers. Those efforts included the
	10110	wing methods: Posting the CCR at the following URL: www
		Mailing the CCR to postal patrons within the service area (attach zip codes used)
	\exists	Advertising the availability of the CCR in news media (attach copy of press release)
	H	Publication of the CCR in a local newspaper of general circulation (attach a copy of the
		published notice, including name of newspaper and date published)
		Posted the CCR in public places (attach a list of locations)
		Delivery of multiple copies of CCR to single-billed addresses serving several persons, such as apartments, businesses, and schools
		Delivery to community organizations (attach a list of organizations)
		Publication of the CCR in the electronic city newsletter or electronic community newsletter or listserv (attach a copy of the article or notice)
		Electronic announcement of CCR availability via social media outlets (attach list of social media outlets utilized)
		Other (attach a list of other methods used)
	For sy	estems serving at least 100,000 persons: Posted CCR on a publicly-accessible internet site at
		llowing URL: www
风	For p	rivately-owned utilities: Delivered the CCR to the California Public Utilities Commission

Commune Constituera Pepers Certification Some To be a wided with copy of the CCR

was a system of and the way of the company of the c
Andrew States States and States a
The water system and of store bereby certain that he Contidence of the was distributed of ξ , π , ξ . It is shown by the sum of appropriate mailors of available blood give ξ , π , ξ . It is shown that continued in the report is contained by the continued of the report is contained by the continued of the report of the contained of t
Continuity Man Comments of the Books
Totalling and the same of the
17-96 com
Phone Number 1988 1 (2.3 Test Neggl 1) Date (3.2 St. 18 1)
an abbarium on an ancama nasion ella mane summe manerale da sum ante emparemente de la compania de la compania Per simborto sepirt dell'um succlaud possible si toris esten, pleasa comperci das le cos qui have agosti. Sens dad apple end fill in solver appropries
The COR was distributed by made of the district methods (arted by becalion of other bosts)
्रेट के कार्योग्येस एक के किन्स्य
W. COR was stantoned wing to almit delicar ratheds described in the Coldress of the earlier
Boardy of the varieties Confedent (water waters with the content of the confedence o
र विकास के प्रत्ये के किया है। जिस्से के अस्ति अस्ति अस्ति के स्थापित के प्रत्ये के किया के प्रत्ये के प्रत्ये विकास के प्रत्ये के किया के स्थापित के स्थापन
od bolušom stafio označi samos guizag impopulstana e tomo vaja safi. Talis hoda " []
i alienten ann an air ann an an air an air an air an
Localing the Colk at the 1990 of 1990 was
tions with the circulation of the control of the co
f_{ij}^{ij} is a constant, the symmetric particle of the CAR in this properties follows of properties f_{ij}^{ij} and f_{ij}^{ij}
gordell i i greek keer roopigi oon ir attiste geeleekste groene (iinsilde i Geeretapol ki setti kir atti) is oog oli haj ni 900 oo taab i9 – []]]
The second second resemble to this coupling this is a compact of the province of the second s
sir er sunta er entiani samonnum par er.
E. Onbyery to community confidence after a confidence.
autoria de la
troditas as Asatus a se cae a <mark>gen a t</mark> ese a) viruntais sia
Januaria destrutado escriba en tendos di aplicidade de 1907 de acomponentade di apportir 🛴 🛄
Aerlita adure elles
(i) Office bounds a leaf of the comments
is a material and easily in dealer that the product of the second productly indicated by a near that we
and the second of the second o
$m{f V}$. For each we have a bound with a $m{W}$ is $m{W}$ in the Calibratia Addition $m{W}$ to $m{W}$ and $m{W}$
·

Self to Flavor & But within Secretary Contracts

State and have been $\{\gamma_i, s_i\}_{i=1,\dots,N}$

Consumer Confidence Report Electronic Delivery Certification

Water systems utilizing electronic distribution methods for CCR delivery must complete this page by checking all items that apply and fill-in where appropriate.

M	Water system mailed a notification that the CCR is available and provides a direct URL to the CCR on a publicly available website where it can be viewed (attach a copy of the mailed CCR										
_	notification). URL: www. weiner water, con/we-content/uploads/2014/06/2013_ca										
	Water system emailed a notification that the CCR is available and provides a direct URL to the CCR on a publicly available site on the Internet where it can be viewed (attach a copy of the emailed CCR notification). URL: www.										
П	Water system emailed the CCR as an electronic file email attachment.										
П	Water system emailed the CCR text and tables inserted or embedded into the body of an email, not										
	as an attachment (attach a copy of the emailed CCR).										
	Requires prior CDPH review and approval. Water system utilized other electronic delivery method that meets the direct delivery requirement.										
	ride a brief description of the water system's electronic delivery procedures and include how the r system ensures delivery to customers unable to receive electronic delivery.										
	we mailed pt/ kbpy water bill with the URL and CCR description to customers										
_0	and CCR description to customers										
	·										

This form is provided as a convenience and may be used to meet the certification requirement of section 64483(c), California Code of Regulations.