# Fugitive PM10 Emission Factors Level 3 Communications

### **Disturbed Area - Heavy Construction Emissions**

EF = k\*1.2 ton PM10/acre-moi (USEPA, AP-42, Section 13.2.3, Subsection 13.2.3.3, page 13.2.3-1, January 1995)

where:

k = PM10 fraction: 0.5 (SCAQMD estimate, see next section)

B) EF = 39.43 lb/acre-day

#### SLOCAPCD specific

EF = 0.75 ton PM10/acre-month (SLOCAPCD, 1995) EF = 50.00 lb/acre-day

### Wind Erosion - Open Storage Piles

Emission Factor (SCAQMD. CEQA Air Quality Handbook, Table A9-9-E, November 1993, and

EF = k(1.7)(s/1.5)[(365-p)/235](f/15) lb/day/acre

Backhoe I where: s = Silt Content (percent):	7.5 (Overburden soil)
Vac Truck $p =$ Number of days $>= 0.01$ inches preci	0 (Worst case of no rain during construction)
Surveying Lt-Heavy $f =$ Percent time WS > 12 mph (5.4 m/sec	15 (site specific)
Lt-Heavy Duty Truck = PM10 fraction:	0.5 (SCAQMD estimate)
Worker Light Truck	

EF = 6.60 lb/acre/day (worst case)

#### **Dirt/Debris Pushing Operations**

Emission Factor (SCAQMD Table A9-9-F):

 $EF = [(0.45)(G^{1.5})/(H^{1.4})](I)$  lb/pushing-hour

where: G = Silt Content (percent):7.5 (Overburden soil)H = Moisture content of soil (percent):14I = Conversion factor kg/hr to lb/hr:2.2046

EF = 0.51 lb/pushing-hour (soil)

# Fugitive PM10 Emission Factors Level 3 Communications

### Vehicles on Unpaved Roadways

Emission Factor (SCAQMD Table A9-9-D):

# $EF = 2.1 (G/12) (H/30) [(J/3)^0.7] [(I/4)^0.5] [(365-K)/365] lb/vmt$

where $G = Silt Loading (\%)$ :	4 (gravel road)
H = Mean Vehicle Speed (mph):	15 (average speed)
J = Mean Vehicle Weight (tons):	varies, see table below
I = Number of Wheels:	varies, see table below
K = Number of Days > 0.01 in. Precipitat	0 (worst case)

	-		Cement		-	
Parameter	Loaded	Unloaded	Loaded	Unloaded	Loaded	Unloaded
J	34	12	20.9	13.5	98	76
I	18	18	10	10	4	4
EF						
lb/VMT	4.06	1.96	2.15	1.59	4.02	3.36

	Gravel Haul		Lt. Truck/Auto Med/Heavy Duty Truc			
Parameter	Loaded	Unloaded	Loaded	Unloaded	Loaded	Unloaded
J	40	13	2.5	2	5	4
I	18	18	4	4	6	6
EF						
lb/VMT	4.58	2.07	0.31	0.26	0.61	0.52

Fugitive PM10 Emission Factors Level 3 Communications

#######