

Liberty Utilities (Liberty Park Water) Corp. 9750 Washburn Road Downey, CA 90241-5641

Tel: 562-923-0711 Fax: 562-861-5902

June 1, 2021

Mr. James Boothe Water Division 505 Van Ness Avenue San Francisco, CA 94102

Subject: Information-Only Conservation Data Report Required by D.11-05-004

Dear Jim:

Please find this Information-Only Conservation Data Report for Liberty Utilities (Park Water) Corp. for calendar year 2020. This report is provided pursuant to Ordering Paragraph 3 of Decision 11-05-004 dated May 5, 2011. Attachment 2 of Decision 11-05-004 requires the reporting of consumption data, compliance with the adopted reduction in consumption, Best Management Practices compliance costs, and disconnections for nonpayment and reconnections.

Attached are schedules providing the information requested in Attachment 2 of D.11-05-004. If the requested information is being provided in the Annual Report to the Commission, a reference to the applicable page in the Annual Report is provided.

Very truly yours,

LIBERTY UTILITIES (PARK WATER) CORP.

/s/ Edward N, Jackson

EDWARD N. JACKSON
Director, Rates and Regulatory Affairs
Liberty Utilities (West Region)
9750 Washburn Road
Downey, CA 90241
562.923.0711

Edward.Jackson@libertyutilities.com

cc: Bruce DeBerry, Water Division, <u>bruce.deberry@cpuc.ca.gov</u>
Terence Shia, Water Division, <u>terence.shia@cpuc.ca.gov</u>
Hani Moussa, Cal Advocates, hani.moussa@cpuc.ca.gov

LIBERTY UTILITIES (PARK WATER) CORP.

ATTACHMENT 2 INFORMATION-ONLY FILING CONSERVATION DATA REPORT*

• Baseline average (from 2003-2007 or 10 year baseline if it includes 2003-2007 and only includes years prior to the adoption of a conservation rate design) estimated monthly or bimonthly (depending on billing cycle) per customer or service connection consumption by ratemaking district, separated by customer class and meter size. If the water company elects to use a baseline in reliance on the Department of Water Resources methodology developed to implement SBX7-7 without calendar years 2003-2007, the water company shall attach workpapers to support the use of that baseline;

Response:

Please see Attachment 2.1-3.

 Average estimated monthly or bimonthly (depending on billing cycle) per customer or service connection consumption in one hundred cubic feet by ratemaking district, separated by customer class and meter size;

Response:

Please see Attachment 2.1-3.

Comparison table including baseline and annual average estimated consumption by ratemaking
district, separated by customer class and meter size, for each year following implementation of
conservation rate designs, with the percentage reduction in consumption calculated by district and
by customer class and meter size within each ratemaking district;

Response:

Please see Attachment 2.1-3

 Average estimated monthly or bimonthly (depending on billing cycle) consumption per tier or block separated by ratemaking district, by meter size, and by customer class, and the number of customers in each sub-grouping;

Response:

Please see Annual Report, Item 1, pp. 84 and Item 14, pp. 84d through 84o.

• Estimated monthly or bimonthly (depending on billing cycle) number of customers by district, monthly or bimonthly number of disconnection notices generated to those customers, number of customers disconnected for non-payment, and number of customers reconnected;

Response:

Please see Annual Report, Item 1, pp. 84 and Items 5 through 7, p. 84a.

• Estimated monthly Best Management Practices compliance costs, by district, separated by customer class, coverage goals or flex track menu (by measure); and

Response:

Currently, Liberty Utilities (Park Water) Corp. does not track compliance costs on a monthly basis. Please see the California Urban Water Conservation Council Best Management Practice compliance report for annual compliance costs. Please see attached report.

• Any other district-specified factor (such as changes in weather, increases in supply from recycled water, or economic factors) that might contribute to consumption changes.

Response:

Liberty Utilities (Park Water) Corp. is not aware of any district-specific factors that might contribute to consumption changes.

^{*}If requested information is provided in another report or format, the water company can provide a copy of the report and note the page on which the information is found.

| 2 . | | |
|-----|--|--|
| | | |

| MeterSize | Residential (Bi- monthly) | Business (Bi- monthly) | Business (Monthly) | Industrial (Bi- monthly) | Industrial (Monthly) | Public Authority (Bi-monthly) | Public Authority (Monthly) | Fire Protection (Bi- monthly) | Fire Protection (Monthly) | Private Fire Hydrant (Bi- monthly) | Resale (Monthly) | Temporary (Bi- monthly) | Metered Sales - Temporary (Monthly) | Reclaimed Water (Monthly) | Mesa Crest - Residential | Mesa Crest - Business | Mesa Crest - Private Fire |
|---|----------------------------------|----------------------------|-----------------------|-----------------------------|-------------------------|----------------------------------|-------------------------------|----------------------------------|------------------------------|--|----------------------|----------------------------|---|------------------------------|-----------------------------|--------------------------|------------------------------|
| TOTAL CONSUMP | | | | | 1 - | | | | _ | _ | _ | | | | | | |
| 5/8" 3/4" | 2,889,744 | 92,329 | 35,564 0 | 0 | | | 170 | 0 | | 0 | | - | | | | 0 | |
| 3/4" | 95 | 0 | - | | | _ | 0 | 0 | | | | | , | | | - | |
| 1" | 35,082 | 56,428 63.322 | 46,800 70,595 | 743 | | | 2,457 312 | 0 | | 0 | | 0 | - | | | 8,500 1,576 | |
| 1-1/2" | 0 | 175.655 | 193,957 | 743 | | -, | 2.047 | 0 52 | | 0 | | 0 | | | | 1,576 | |
| 2" | | | 28,087 | | | | | | | | | - | | | | 18,357 | |
| 3" | 0 | 58,701 | | 0 | | | 25,929 | 0 | | 0 | 0 | 0 | -/ | | | | |
| 4" | 0 | 56,764 | 4,467 | 0 | | | 30,031 | 5 | | | 0 | 0 | - | | | 0 | |
| p | 0 | 25,305 | 16,853 | 0 | | | | 17 | | 0 | | 0 | - | | | 0 | |
| 8" | 0 | 0 | 29,317 | 0 | | | | -20 | | 0 | | 0 | | | | 0 | |
| 10" | 0 | 0 | 0 | | | | | 2 | | | | - | | | | 0 | |
| 12" | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 509 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ER OF CUSTOMERS | | | | | | | | | | | 1 | | 1 | | | Т |
| 5/8" | 25,089 | 829 | 0 | | | | | 0 | | | | | | | | 1 | |
| 3/4" | 1 | 0 | 0 | | | | | 0 | | _ | | - | - | | | 0 | |
| 1" | 313 | 399 | 0 | | | | | 0 | | | | Ŭ | | | | 3 | |
| 1-1/2" | 0 | 202 | 1 | | | | | 0 | | 0 | | 0 | | | - | 1 | |
| 2" | 0 | 249 | 6 | | - | | | 2 | | 0 | - | - | - | | - | 4 | |
| 3" | 0 | 6 | 23 | | | - U | 15 | 0 | | 0 | 0 | 0 | , | - | | 1 | |
| 4" | 0 | 1 | 10 | 0 | | | 10 | 18 | | | 0 | 0 | , i | | - | 0 | |
| 6" | 0 | 0 | 6 | | | | - | 20 | | | U | Ŭ | - | | - | 0 | |
| 8" | 0 | 1 | 1 | 0 | | | 1 | 9 | | | | | | | | 0 | |
| 10" | 0 | 0 | 0 | | | | 0 | 1 | _ | 0 | 0 | _ | - | | | 0 | |
| 12" | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| AVERAGE USAGE | PER CUSTOMER | | | | | | | | | | | | | | | | |
| 5/8" | 115 | 111 | 0 | 0 | 0 | 81 | 85 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | |
| 3/4" | 95 | 0 | 0 | | | | 0 | 0 | 0 | 0 | | 0 | - | | | 0 | |
| 1" | 112 | 141 | 0 | 0 | 0 | 124 | 410 | 0 | 0 | 0 | 0 | 0 | 0 | | | 2,833 | |
| 1-1/2" | 0 | 313 | 70,595 | 743 | 0 | 191 | 31 | 0 | 0 | 0 | 0 | 0 | 0 | | | 1,576 | |
| 2" | 0 | 705 | 32,326 | 0 | | | | 26 | 0 | 0 | 0 | 0 | 0 | 1,894 | 2,995 | 4,037 | |
| 3" | 0 | 9,784 | 1,221 | 0 | 17,852 | 449 | 1,729 | 0 | 0 | 0 | 0 | 0 | 390 | 5,654 | 0 | 18,357 | |
| 4" | 0 | 56,764 | 447 | 0 | 7,451 | 1,908 | 3,003 | 0 | 6 | 3 | 0 | 0 | 0 | 8,026 | 0 | 0 | |
| 6" | 0 | 0 | 2,809 | 0 | 0 | 0 | 9,815 | 1 | 44 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 8" | 0 | 0 | 29,317 | 0 | 0 | 0 | 22,433 | -2 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 10" | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | | | 0 | 0 | 0 | 0 | 0 | 0 | |
| 12" | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 170 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| COMPARE TO AVE | ERAGE USAGE PER CU | STOMER BASELIN | (CCF) | | | | | | | | | | | | | | |
| 5/8" | -47 | -130 | 0 | 0 | 0 | -21 | -138 | 0 | 0 | 0 | 0 | -175 | 0 | 0 | 78 | 0 | , |
| 3/4" | -125 | -405 | -103 | 0 | | | | 0 | | | | | | | | 0 | |
| 1" | -167 | -764 | 0 | -1,154 | | | 36 | 0 | | | | 0 | | | | 2,833 | , |
| 1-1/2" | -250 | -1,612 | 67,587 | 743 | | | -841 | 0 | | | | -1,198 | | | | 1,576 | |
| 2" | -40 | -2,168 | 22,980 | -2,263 | | | -4,688 | 26 | | 0 | | -521 | | | | 4,037 | |
| 3" | 0 | 3,381 | -12,354 | -2,777 | | | -5,097 | -35 | | 0 | | 0 | 390 | | | 18,357 | |
| 4" | 0 | 52,598 | -11,773 | 0 | | | -16,263 | -39 | | 3 | -18,027 | 0 | | | | 0 | |
| 6" | 0 | 0 | -57,553 | 0 | | | -13,663 | -13 | | 0 | | 0 | | | | 0 | |
| 8" | 0 | 0 | 29,317 | 0 | | 0 | 22,433 | -7 | | 0 | | 0 | | | | 0 | |
| 10" | 0 | 0 | 0 | | | | 0 | 2 | | | | | | | | 0 | |
| 12" | 0 | 0 | 0 | | | | 0 | 0 | | | | 0 | | | | 0 | |
| COMPARE TO BAS | CELINE(9/) | | | | | | | | | | | | | | | | |
| 5/8" | -28.90% | -53.79% | 0.00% | 0.00% | 0.00% | -20.76% | -61.88% | 0.00% | 0.00% | 0.00% | 0.00% | -100.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.0 |
| 3/4" | -56.82% | -100.00% | -100.00% | 0.00% | | | -100.00% | 0.00% | | 0.00% | 0.00% | | | | | 0.00% | |
| 1" | -59.83% | -84.37% | 0.00% | -100.00% | | -72.05% | 9.49% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | | | | 0.00% | |
| | -59.83% | -84.37% -83.72% | 2246.91% | -100.00% | | -72.05% -84.27% | -96.42% | 0.00% | 0.00% | 0.00% | 0.00% | -100.00% | | | | 0.00% | |
| 1 1/2" | -100.00% | -83.72% -75.45% | 245.88% | -100.00% | | -84.27% -65.43% | -96.42% -97.50% | 0.00% | 0.00% | 0.00% | 0.00% | -100.00% | | | | 0.00% | |
| 1-1/2" | | -75.45% 52.80% | -91.00% | -100.00% | | -65.43% -84.03% | -97.50% -74.68% | -100.00% | -100.00% | 0.00% | -100.00% | -100.00% | | | | 0.00% | |
| 1-1/2" | | | | | -13.83% | -84.03% -66.37% | | | | | -100.00% -100.00% | | | | | | |
| 1-1/2" 2" 3" | 0.00% | | 00.240/ | | | | -84.41% | -99.29% | -76.49% | 0.00% | | 0.00% | | | | 0.00% | |
| 1-1/2" 2" 3" 4" | 0.00% 0.00% | 1262.55% | -96.34% | 0.00% | | | 50.77-1 | 00.000 | 2005 2 | 0 | | | | | | | |
| 1-1/2" 2" 3" 4" | 0.00% 0.00% 0.00% | 1262.55% 0.00% | -95.35% | 0.00% | 0.00% | 0.00% | -58.20% | -93.93% | | 0.00% | 0.00% | 0.00% | | | | 0.00% | |
| 2" 3" 4" 6" 8" | 0.00% 0.00% 0.00% 0.00% | 1262.55% 0.00% 0.00% | -95.35% 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | -144.44% | 44.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.0 |
| 1-1/2" 2" 3" 4" 6" 8" 10" | 0.00% 0.00% 0.00% | 1262.55% 0.00% | -95.35% | 0.00% | 0.00% 0.00% 0.00% | 0.00% 0.00% 0.00% | 0.00% 0.00% | | 44.00% 727.50% | | | 0.00% | 0.00% | 0.00% 0.00% | 0.00% | | 0.0 |

Annual Baseline 2003-2007 (CCF/Customer)

| | Residential | Business (Bi- | Business | Industrial (Bi- | Industrial | Public Authority | Public Authority | Fire Protection | Fire Protection |
|-----------|--------------|---------------|-----------|-----------------|------------|------------------|-------------------------|-----------------|-----------------|
| MeterSize | (Bi-monthly) | monthly) | (Monthly) | monthly) | (Monthly) | (Bi-monthly) | (Monthly) | (Bi-monthly) | (Monthly) |
| 5/8" | 162 | 241 | 0 | 0 | 0 | 102 | 223 | 0 | 0 |
| 1" | 220 | 405 | 103 | 0 | 0 | 209 | 158 | 0 | 0 |
| 1-1/2" | 279 | 905 | 0 | 1,154 | 0 | 444 | 374 | 0 | 0 |
| 2" | 250 | 1,925 | 3,008 | 0 | 0 | 1,216 | 872 | 0 | 0 |
| 3" | 40 | 2,873 | 9,346 | 2,263 | 3,341 | 1,554 | 4,808 | 0 | 0 |
| 4" | 0 | 6,403 | 13,575 | 2,777 | 20,717 | 2,811 | 6,826 | 35 | 1 |
| 6" | 0 | 4,166 | 12,220 | 0 | 0 | 5,673 | 19,266 | 39 | 24 |
| 8" | 0 | 0 | 60,362 | 0 | 0 | 0 | 23,477 | 14 | 2 |
| 10" | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 6 |
| 12" | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |

Metered Sales -

| Private Fire Hydrant | Resale | Temporary | Temporary | Reclaimed Water | |
|----------------------|-----------|--------------|-----------|-----------------|--|
| (Bi-monthly) | (Monthly) | (Bi-monthly) | (Monthly) | (Monthly) | |
| 0 | 0 | 175 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 363 | |
| 0 | 0 | 0 | 0 | 998 | |
| 0 | 0 | 1,198 | 0 | 5,014 | |
| 0 | 0 | 521 | 1,970 | 6,914 | |
| 0 | 47,518 | 0 | 0 | 11,784 | |
| 0 | 18,027 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | |