PUBLIC UTILITIES COMMISSION

180 Promenade Circle, Suite 115 SACRAMENTO CA 95834-2939



February 11, 2011 File Number: G.11-02-004

C.H. Harvey
Deputy CEO, Operations, Engineering and Construction
Peninsula Corridor Joint Powers Board
1250 San Carlos Ave
PO BOX 3006
San Carlos, CA 94070-1306

Re: GO 88-B Request for Authority to Alter the East Meadow Drive Highway-Rail Crossing, CPUC Crossing No. 105E-33.00, DOT No. 755010S in the City of Palo Alto, Santa Clara County.

Dear Mr. Harvey:

This refers to your letter dated January 31, 2011 and received by us on February 4, 2011 requesting authorization pursuant to Commission General Order (GO) 88-B to alter an at-grade highway-rail crossing of the Peninsula Corridor Joint Powers Board (JPB) track in the City of Palo Alto (City), Santa Clara County. The crossing is identified as the East Meadow Drive Highway-Rail Crossing, CPUC Crossing No. 105E-33.00, DOT No. 755010S.

The East Meadow Drive crossing is currently a double-track crossing on the Caltrain mainline, and is equipped with one Commission Standard 9 (flashing light signal assembly with automatic gate) warning device in the northwest quadrant and one Commission Standard 9-A (flashing light signal assemblies with automatic gate arms and additional flashing light signals over the roadway on a cantilevered arm) warning device in the southeast quadrant, both supplemented with a Commission Standard 9 pedestrian gate. Additionally, the northeast and southwest quadrants are equipped with Commission Standard 9 pedestrian gates on the sidewalk approaches. The JPB operates 90 passenger trains per day over this crossing and Union Pacific Railroad (UPRR) operates approximately four freight trains per day over this crossing.

Modification of this crossing is part of a county wide project in which the JPB is proposing systematic improvements to eight of the grade crossings along the corridor in Santa Clara County to improve safety. This crossing is one of the eight crossings involved in this project. The JPB states in its GO 88-B request letter that "The crossing modifications proposed in this request will enhance pedestrian and motorist safety at this crossing. Additional signal installations will provide greater warning of train movements to motorists and pedestrians."

The proposed alterations as indicated in the request letter and/or shown in the attachments shall consist of:

C.H. Harvey G.11-02-004 February 11, 2011 Page 2 of 4

- Removal of the existing auxiliary pedestrian gate arms in the northwest and southeast quadrants, and installation of two pedestrian gate arms on separate masts (no flashers or bell) adjacent to the remaining Commission Standard 9 warning devices.
- Relocation of the existing Commission Standard 9 pedestrian gate assembly (with bell and flashers) in the northeast and southwest quadrants.
- Installation of additional flashing lights on the Commission Standard 9 pedestrian gate assembly in the northeast quadrant facing eastbound Alma St traffic.
- Installation of emergency exit swing gates; one in each quadrant.
- Installation of ADA compliant detectable warning tactile strips just prior to the pedestrian gate arms in each quadrant, along the full width of the walkway.
- Installation of ADA compliant handrails in the northwest and northeast quadrants to channelize pedestrians to the pedestrian gates and prevent pedestrians from easily circumventing the gates.
- Installation of guardrails in the northeast, southeast, and southwest quadrants to channelize pedestrians to the pedestrian gates and prevent pedestrians from easily circumventing the gates.
- Relocating existing "No Trespassing/Suicide Prevention" signs on both sides of the crossing to accommodate the new sidewalk and improve visibility.
- Installation of continuous fencing in the northeast quadrant tying to the handrail and to the existing fencing to channelize pedestrians to the safe and lawful crossing.
- Installation of continuous fencing in the southwest quadrant tying to the guardrail and to the existing pole to channelize pedestrians to the safe and lawful crossing.
- Installation of continuous fencing in the southeast quadrant tying to the guardrail extending approximately 25 feet east to channelize pedestrians to the safe and lawful crossing.
- Reconstruction of the sidewalks in all quadrants.
- Replacement of the rubber crossing surface with concrete panels. The crossing will be widened to accommodate the pedestrian pathways over the crossing.
- Installation of new asphaltic concrete (AC) ramps around the crossing surface to provide a proper transition for pedestrians from the sidewalks to the crossing surface.
- Replacement of the existing mechanical gong bells with electronic bells on the existing Commission Standard 9 and Commission Standard 9-A warning devices.
- Replacement of all incandescent light units with new 12 inch LED units with 24 inch backgrounds on the existing Commission standard 9 warning devices.
- Installing a new crossing signal house at the southwest quadrant.
- Installation of two R3-1 Active "No Right Turn" signs, one each in the northeast and northwest quadrants facing eastbound Alma Street traffic.
- Installation of pavement markings to delineate the pedestrian and vehicle travel ways through the crossing.

C.H. Harvey G.11-02-004 February 11, 2011 Page 3 of 4

- Painting the curbs red for 50 feet in the southeast and southwest quadrants to restrict parking near the crossing.
- Extension of the curb in the northwest quadrant to meet the 4'3" clearance requirement to the automatic warning device.
- Installation of passive signage associated with railroad crossings as indicated in Chapter 8 of the California Manual on Uniform Traffic Control Devices (CA MUTCD).

Staff has investigated the JPB's request, and finds it adequately addresses compliance and safety. As the JPB and City are in agreement as to the design and apportionments of the cost under the provisions of GO 88-B, you may proceed with the improvements as described in your request letter and attachments and summarized above.

Temporary traffic controls shall be provided in compliance with Section 8A.05, Temporary Traffic Control Zones, of the CA MUTCD, published by Caltrans.

All parties shall comply with all applicable rules, including Commission General Orders and CA MUTCD.

This project is categorically exempt from the requirements of the California Environment Quality Act of 1970, as amended [California Pubic Resources Code 21084].

This authorization shall expire if the above conditions are not complied with or if the work is not completed within three years of the date of this letter. Upon written request to this office, the time to complete the project may be extended. Any written request for a time extension must include concurrence letters by involved parties in support of the time extension. If an extension is requested, the Commission's Rail Crossings Engineering Section (RCES) may reevaluate the crossing prior to granting an extension.

Within 30 days after completion of this project, the JPB shall notify RCES that the authorized work is completed, by submitting a completed Commission Standard Form G titled *Report of Changes at Highway Grade Crossings and Separations*. Form G requirements and forms can be obtained at the CPUC web site Form G page at http://www.cpuc.ca.gov/formg. This report may be submitted electronically to rees@cpuc.ca.gov as outlined on the web page.

If you have any questions, please contact Felix Ko at (415) 703-3722 or fko@cpuc.ca.gov.

Sincerely,

Daren Gilbert, Supervisor

Rail Crossings Engineering Section

Consumer Protection and Safety Division

C.H. Harvey G.11-02-004 February 11, 2011 Page 4 of 4

C: Sam Peiris

Traffic Engineer City of Palo Alto 250 Hamilton Ave PO Box 10250 Palo Alto, CA 94303

James H. Smith Manager Industry & Public Projects Union Pacific 9451 Atkinson St Roseville, CA 95747 Benjamin H. Scharf Senior Assistant Counsel Santa Clara VTA 3331 North First St San Jose, CA 95134-1906

Allan Fung Project Manager Peninsula Corridor Joint Powers Board 1250 San Carlos Ave San Carlos, CA 94070-1306